


product name	weather forecast	product model	XM8635
--------------	------------------	---------------	--------

Renderings



actual picture



I. Technical specifications

project	performance parameter
operating voltage	DC12-24V
incoming current	200ma (Max)
screen size	86mm*35mm(L*W)


Second, the job description

Operating instructions:


1. Use with touch switch

2. Use with touch switch


1. The first step is to search for "Graffiti Intelligence" in the application store and download and install it.




2. After installation, open the "Graffiti Intelligence" APP, register your account and log in.




3. After successful login, click the "+" sign on the top right of the homepage or click "Add Device" to turn on Bluetooth and add the discovered device.



4. Press and hold the touch switch or touch switch for 3s. After the WIFI  icon in the weather forecast screen jumps, it can be added by graffiti intelligence.




5. Click "Add" to enter the Wi-Fi password ①, continue to click "Next" to wait for the addition to be completed and click "Next ②" again, and click "Finish" to display ③ after the successful addition.



6. Presentation of renderings




III. Screen display:




IV. Product wiring diagram:

Touch switch wiring diagram




Touch switch wiring diagram




V. Laser marking map




VI. Installation Steps




1. Sand the mercury surface of the mirror or carve the icon of the switch button with laser.



2. Align the marking line of the positioning plate with the marking drawing, and draw the positioning line around with a pen to install the product;




3. Tear off the screen protective film and double-sided adhesive protective film on the product surface to facilitate the next installation;



4. Stick and press the product on the positioning wire frame;



5. Re-fix the product with fixing glue.



6. The front of the product